



CARTERET COUNTY HEALTH DEPARTMENT

3820-A Bridges Street, Morehead City NC 28557

Food Service Establishment Plan Review Application

Proposed Name of Establishment: _____

Address: _____ Phone: _____

Owner Name: _____ Phone: _____

Mailing Address: _____

Contact Name: _____ Phone: _____

Type of Service:	
Restaurant with seating _____ (How Many? _____)	Take-Out only _____ Limited Food Stand _____ Catering _____
Push Cart/Mobile Food Unit _____ (Name of associated foodservice facility _____)	
Days/Hours of Operation: _____	
Number of Employees per shift: _____	Single Use Utensils (paper products) _____
OR	
Is this a chain or franchise? Yes No	Multi Use Utensils (dishes) _____
<small>(if yes, submit plans to Roger Fortman, DEH, 1630 Mail Service Center, Raleigh NC 27699-1630)</small>	

Building Information: New _____ Existing _____ Proposed Constuction/Remodel Date _____

Proposed Opening Date _____

Water Supply: City/Municipal _____ Well _____ Other(explain) _____

Sewage Disposal: City/Municipal _____ Septic System _____ Other(explain) _____

Please submit this application with the following items to Environmental Health, Carteret County Health Department, 3820-A Bridges Street, Morehead City, NC 28557. Call (252) 728-8499 for more information.

- 1) Proposed menu
- 2) Site plans & equipment layout (drawn to scale, recommend 1/4"=1')
- 3) Equipment specifications (make, model, spec sheets)
- 4) Plumbing and Lighting layouts
- 5) Well &/or septic system information, if applicable.

I (we) understand that written approval of plans must be obtained prior to construction.

X _____ Date _____

*****Please contact all other applicable agencies and organizations as required by law.**

Plan Review Information for (Establishment Name): _____
Prepared By: _____ Date: _____

FOOD HANDLING & STORAGE

Will the establishment: -Wash produce _____ -Wash shellfish _____
 -Slicing deli meat _____ -Wash raw chicken _____

-Store raw meat/seafood/poultry in the same refrigerators & freezers with cooked & ready to eat food? **Yes*** **No**
*If yes, explain how cross contamination will be prevented.

Frozen food will be thawed: -In refrigerator _____ -In microwave _____
 -Under cold, running water _____

Comments: _____

Hot foods will be cooled: -In an ice bath _____ -In small portions _____
 -In shallow pans(4" deep or less) in the walk-in _____

Comments: _____

PERSONNEL

Please explain the employee handwashing policy: _____

What type of hair restraints will be used? _____

Please explain the employee break and smoking policy: _____

Will disposable gloves/tissue paper/utensils be used to avoid direct hand contact with food?
Yes **No*** * If no, explain: _____

Please explain the restriction policy for food workers who are sick or have cuts & lesions:

Will the managers and workers be attending ServSafe or any other approved food safety education training courses? **Yes** **No**

CLEANING & SANITIZING

How will cooking equipment, cutting boards, counter tops and other food contact surfaces that do not fit in sinks or dish machines be cleaned and sanitized? _____

What chemical sanitizer will be used? _____ Strength? _____

How will the concentration of the chemical sanitizer be tested? _____

If there is an existing hot water heater, what is the capacity? _____ gallons
total _____ BTU (gas) or
total _____ Watts (electric)

ICE HANDLING

Ice supply: Bagged ice _____ Ice Machine _____ Other _____

STORAGE Give storage locations for all that apply:

- Dry food storage _____
- Utensils/dishes _____
- Paper products _____
- Beer/liquor _____
- Chemicals/cleaners _____
- Employees' personal items _____
- _____
- Other _____

REFUSE DISPOSAL

The establishment will have the following:

- Dumpster* _____ -Grease Bins _____**
- Trash Cans with Lids _____
- Other _____

*A copy of the dumpster cleaning contract is required for your file
**A contract for routine grease pickup must be maintained

PEST CONTROL

What precautions will be taken to prevent vermin infestation?

- Self-closing doors &/or windows _____ -Caulking cracks & crevices _____
- Pest control contract with licensed company _____
- Pest monitoring devices(glueboards/traps) _____ -Fly fans _____
- Keeping food covered or in closed containers _____
- Routine cleaning of non-food contact surfaces _____

FINISHING MATERIALS

Proposed Materials for:

Floors

Walls

Ceilings

Kitchen

Food Storage

Non-food Storage

Restrooms



CARTERET COUNTY FOOD SERVICE PLAN REVIEW GUIDELINES

The purpose of this document is to provide you with assistance in the opening of a new foodservice establishment. Plans for new or renovated non-franchise establishments are required to be submitted to Carteret County Environmental Health Division to be reviewed and approved prior to construction. Plans for franchise or chain establishments are required to be sent to the North Carolina Department of Environment and Natural Resources (DENR), Environmental Health Services Section, 2728 Capital Blvd., Raleigh, NC 27604. Please see the DENR plan review unit website to download a copy of the state application for franchise facilities at <http://www.deh.enr.state.nc.us/ehs/Food/plan2.htm> .

These guidelines do not include all requirements for a foodservice establishment. The foodservice rules, 15A NCAC 18A .2600 Rules Governing the Sanitation of Foodservice Establishments, are available on line at www.deh.enr.state.nc.us/ehs/rules.htm. or at Carteret County Environmental Health, 3820 Bridges St. Suite A, Morehead City, NC, phone (252-728-8499), fax (252-222-7753).

PLAN REVIEW PROCESS

1. Submit plans with completed Carteret County Plan Review application, menu, equipment specifications (make and model numbers), and septic system operation permit and well specifications (if applicable) to Carteret County Environmental Health.
2. Construction inspections of the establishment conducted by Environmental Health are as follows:
 - a. Preliminary Inspection: This inspection is conducted when the food service is going into an existing building. It is usually done in conjunction with the plan review, after the plans have been submitted but before plans are approved. After obtaining all required plan approvals construction may begin.
 - b. Plumbing Inspection: This inspection is conducted before the floor and walls are finished with the purpose of ensuring that the plumbing in the establishment is installed according to your plans.
 - c. Mid-construction Inspection. When your establishment is approximately 80% completed and/or within two weeks of your proposed opening date, this inspection is scheduled. We will be checking floor, wall and ceiling surfaces, and any equipment that may be installed. This is a very important inspection since you will be very close to your proposed opening date.
 - d. Final Inspection. When you have finished all of your construction and the local building department has granted their certificate of occupancy or equivalent approval the Environmental Health Division can conduct the final inspection for your food service permit. Hot and cold water must be available and all plumbing operational. All of your equipment such as hood exhaust

systems, refrigerators, and dishwashing machines must be functioning. You must also have food thermometers, refrigerator thermometers, sanitizer and test kits available. No food preparation for service to the public can be done before a food service permit is obtained. You should schedule your final inspection well in advance of your proposed opening date.

Plans

1. The plans should be minimum of 11" x 14" in size and the layout of the equipment or plan accurately drawn to a minimum scale of $\frac{1}{4}" = 1'$. There is no requirement that the plans be drawn by a licensed architect however it is highly recommended.
2. Each piece of equipment should be clearly labeled on the plan with its common name.
3. The plan layout should contain room size, aisle space, space between and behind equipment and the placement of the equipment on the floor.
4. Plans should include a color flow chart demonstrating flow patterns for:
 - a. food (receiving, storage, preparation, service)
 - b. food and dishes (portioning, transport, service)
 - c. dishes (clean, soiled, cleaning, storage)
 - d. utensils (storage, use, cleaning)
 - e. trash and garbage (service area, holding, storage)
5. Lighting layout should show type and size of bulbs and location. It is recommended that fixtures be installed over equipment and preparation surfaces such as utensil and preparation sinks, preparation tables, etc., rather than being placed over aisle spaces. The lighting requirement is as follows:
 - Food contact surfaces = 50 foot candles (540 lux)
 - Utensil washing surfaces = 50 foot candles (540 lux)
 - Walk-in units = 10 foot candles (110 lux) – 30 inches above floor
 - All other areas = 10 foot candles (110 lux) – 30 inches above floor
 - Bulbs must be shielded or shatter proof in food preparation, storage and display areas.
6. Plumbing layout should include location of the floor drains, floor sinks and water supply lines, wastewater lines, hot water generating equipment with capacity and recovery rate, and backflow prevention.
7. Site plan should include dumpster area, can wash facility, grease trap or barrels, entrances, exits, outdoor loading docks and outdoor storage buildings as applicable.

Septic System

For establishments on existing septic systems an on-site wastewater application must be submitted for approval for use of the existing septic system for food service. For new construction an application for a new septic system is required. In both cases the number of seats, hours of operation, type of menu and number of employees must be designated on the septic system application. Septic systems are sized according to type and size of the food service establishment as well as site and soil conditions. Applications can be made at the Environmental Health Division between 8:00 am and 4:30 pm, Monday through Friday.

Private Water Supply

Food service establishments that have private water supplies must meet the regulations in 15A NCAC Subchapter 18A .1700 or online at www.deh.enr.state.nc.us/ehs/rules.htm. If the establishment will be serving more than 25 people it must also comply with rules regulated by the Division of Water Quality. They can be contacted at 910-796-7215. Prior to opening two (2) negative bacteriological water samples must be obtained by our office. All threaded faucets must be provided with back flow prevention devices.

Food Service Equipment

Food service equipment must meet American National Standards Institute (ANSI) sanitation standards. Private testing companies such as NSF and UL (sanitation) check food service equipment cleanability and performance for compliance with ANSI standards. Food service equipment includes refrigeration equipment, utensil and prep sinks, dishwashers, worktables, shelves, slicers, blenders, and food processors. Some products labeled "commercial" may not be approvable. Domestic equipment is not approvable. Always check for ANSI certification. Used equipment must meet ANSI standards, be in good repair and approved by our office. The equipment schedule must include make and model numbers of proposed equipment. Please do not submit catalog numbers or serial numbers. Food service equipment suppliers are listed in the local phone book or on the internet. Microwave ovens, toasters and mixers are exempt from these requirements.

Handwashing Sinks

For employees, at least one handsink is required in the kitchen area in addition to any handsinks which may be provided in the toilet rooms. Additional handsinks may be required in food preparation or utensil washing areas which are more than 25' from a handsink or when the food preparation areas, service areas, or utensil washing facilities are located in a separate room, waitress station or bar service area. Splashguard protection is required if spacing to adjoining food, food contact surfaces, or utensil washing and storage area surfaces are less than 18 inches. Splash guards should extend from the front of the sink to 12 inches above the rim of the sink.

Food Storage Containers and Utensils

Purchase food storage containers that are made of FDA approved food grade materials, are durable and easily cleanable. An easily cleanable container will not have square corners, tight crevices, or parts that do not dismantle for easy cleaning. Containers and utensils that meet ANSI standards are strongly recommended. They can be purchased through food service equipment suppliers.

Construction

1. All construction must conform to the approved plan. Contact the Environmental Health Specialist who is doing the plan review before any changes are made.
2. Construction of shelves, counter tops and cabinets must provide tight fitting smooth easily cleanable surfaces such as sealed or painted finish grade ply wood or Formica. Particleboard or pressboard is not acceptable. Cabinets and counters are acceptable only in waitress stations, take out service counters and bar areas. Wood and Formica

shelving is only acceptable in dry storage areas. All shelving must be tightly stripped or caulked to walls or be mounted at least one (1") inch away from wall. All shelves must be twelve (12") inches above the floor or six (6") inches above the floor if moveable to protect products and provide access for floor cleaning.

3. Kitchen and food storage floors must be easily cleanable. Non-absorbent commercial grade vinyl tile or ceramic tiles are recommended. Broken tile floors, unsealed cement, wood, etc. are not acceptable. Floors that are to be subjected to flood type cleaning must be provided with floor drains and sloped to drain.
4. The walls of food preparation, utensil washing areas and restrooms must be smooth and easily cleanable. For kitchen equipment washing areas and toilet rooms, fiberglass reinforced plastic (FRP) panels are recommended. Stainless steel wall coverings are recommended behind the cooking line. The joints between walls and floors are required to be rounded (coved baseboard) or otherwise constructed to provide a tight seal between the floor and the wall.
5. All sinks must be tightly caulked to the wall or offset three (3") inches away from walls to provide access for cleaning. Whenever possible, plumbing must be inside the walls. Any pipe openings must be sealed around the pipes.
6. Ceilings must be smooth and washable in rooms used for food preparation and utensil washing. Non-perforated vinyl faced acoustical tile or painted wallboard are recommended.
7. To protect food, utensils, and food service equipment from the possibility of sewage back flow, all dish machines, utensils washing sinks, and food preparation sinks must have approved air gaps and be indirectly drained to a floor sink receptor as required by the building inspector. All floor sink receptor drains are to be placed so as to permit the drain to be inspected and/or cleaned as necessary.
8. Three compartment sinks must be properly sized and equipped with drain boards on each end. Drain boards and sink compartments must be sized to accommodate the largest utensils being washed. The minimum size drain boards generally accepted is twenty-four (24") inches. Depending on the volume of utensils being washed at one time, larger drain boards may be required. It is recommended that an overhead air drying rack be installed if the volume of utensils being washed at any one time will exceed the capacity of the clean drain board of the sink. The air drying rack will provide a larger area to dry utensils and help prevent wet stacking.
9. Separate sinks are required for food preparation. One separate prep sink is required for washing vegetables, one separate sink for washing chicken, washing seafood or defrosting meat and poultry under cold running water, and one separate sink for washing and processing shellfish. The number, size and types of preparation sinks are determined by the menu. Prep sinks must have approved indirect drains with air gaps as required by the building inspector.
10. The trash can wash facility drain pad should be at least 3' by 3', sloped to drain to a sanitary sewer or septic system, with a four inch curb, and served by a hot and cold combination faucet with back flow prevention devices.

If you have questions or need more information please contact Katrina Winters or Nicole Bruce at Carteret County Environmental Health Division 252-728-8499.